

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: STAIN REMOVER
 PRODUCT CODE: STNRMVR

HMIS CODES: H F R P
 1 0 0 F

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: Custom Building Products, Inc.
 ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201
 EMERGENCY PHONE: (213) 582-0846 INFORMATION PHONE: (213) 582-0846
 DATE REVISED : 4-03-97 NAME OF PREPARER : STEVE TAYLOR

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMIT		VAPOR PRESSURE mm Hg @ TEMP	Wt. %
		OSHA PEL	ACGIH TLV		
*INORGANIC AMMONIUM PRODUCTS		N/A	N/A		
*CHELATOR		N/A	N/A		
*SPECIFIC CHEMICAL NAME WITHHELD PURSUANT TO OSHA REGULATIONS.					

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING POINT: N/A SPECIFIC GRAVITY (H2O=1): 1.19
 VAPOR DENSITY: N/A EVAPORATION RATE: N/A
 SOLUBILITY IN WATER: 73.4%
 APPEARANCE AND ODOR: GRAY PASTE, SLIGHT AMMONIA COLOR.

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: N/A METHOD USED: N/A
 FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A
 EXTINGUISHING MEDIA: N/A
 SPECIAL FIREFIGHTING PROCEDURES
 WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.
 UNUSUAL FIRE AND EXPLOSION HAZARDS
 N/A

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

INCOMPATIBILITY (MATERIALS TO AVOID)

ACIDS ALUMINUM OR OTHER REACTIVE METALS, STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

MAY REACT WITH ALUMINUM TO RELEASE HYDROGEN.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

NONE

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NONE

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

EYES: WILL CAUSE STINGING IF SPLASHED INTO EYES.

SKIN: MAY CAUSE SLIGHT IRRITATION IF IN CONTACT FOR LONG PERIODS.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

A SINGLE PROLONGED SKIN EXPOSURE IS NOT LIKELY TO RESULT IN THE MATERIAL BEING ABSORBED THROUGH SKIN IN HARMFUL AMOUNTS.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MAY CAUSE HYPOCALCEMIC TETANY WITH SPONTANEOUS RECOVERY.

MAY CAUSE BURNS TO THE GASTROINTESTINAL TRACT.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NO APPLICABLE INFORMATION FOUND.

EMERGENCY AND FIRST AID PROCEDURES

EYES: WASH EYES WITH RUNNING COLD WATER FOR 15 MINUTES.

SKIN: WASH OFF WITH WATER AND SOAP.

INGESTION: INDUCE VOMITING AND SEEK MEDICAL ATTENTION.

INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
DIKE AREA AND ABSORB LIQUID WITH ABSORBENT INERT MATERIAL. FLUSH AREA WITH
LARGE AMOUNTS OF WATER.

WASTE DISPOSAL METHOD
DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
STORE INDOORS IN COOL ENVIRONMENT. KEEP FROM ACIDIC MATERIALS. DO NOT STORE
IN CONTACT WITH ALUMINUM OR COPPER.

OTHER PRECAUTIONS
NONE

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION
USE ADEQUATE ENVIRONMENTAL VENTILATION.

VENTILATION
VENTILATED FAN.

PROTECTIVE GLOVES
ALKALI RESISTANT SUCH AS NITRILE RUBBER, NEOPRENE RUBBER.

EYE PROTECTION
WEAR SAFETY GLASSES WITH SPLASH GUARDS.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT
NONE.

WORK/HYGIENIC PRACTICES
GOOD HOUSEKEEPING PRINCIPLES SHOULD BE PRACTICED AT ALL TIMES.

===== SECTION IX - DISCLAIMER =====

DISCLAIMER
THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT
WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE
ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT AND
SUITABLE TO THEIR CIRCUMSTANCES.